



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

1.1 Product Identifier

Trade Name: High Temp Waterproof Grease
Product Number: 80916

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Lubricating Grease
None known

Restrictions on Use:

1.3 Details of the Supplier of the Safety Data Sheet

Manufacturer: Maxima Racing Oils
9266 Abraham Way
Santee, CA 92071
USA
Information Phone Number: +1 619 449 5000
E-mail: info@maximausa.com

1.4 Emergency Telephone Number

Emergency Spill Information: In USA: CHEMTREC +1 703 527 3887 (24 hours)
Outside USA: +1 619 449 5000

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

CLP (1272/2008) Classification:

Skin Irritant Category 2 (H315)

Eye Irritant Category 2 (H319)

2.2 Label Elements

Warning



Hazard Statements	Precautionary Phrases
H315 Causes skin irritation. H319 Causes serious eye irritation.	P264 Wash thoroughly after handling. P280 Wear protective gloves, eye protection and face protection.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

	<p>P302 + P352 IF ON SKIN: Wash with soap and water.</p> <p>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337 + P313 If eye irritation persists: Get medical attention.</p> <p>P362 Take off contaminated clothing</p>
--	--

2.3 Other Hazards: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical Name	CAS#	EINECS#	REACH registration#	CLP Classification	% w/w
Petroleum distillates ^L	64742-52-5	265-155-0	01-2119467170-45-xxxx	Aspiration Toxicity 1 (H304)	<80
Petroleum distillates ^N	64742-46-7	265-148-2	01-2119489867-12-xxxx	NC	<5
Lithium hydroxide monohydrate	1310-66-3	215-183-4	01-2119560576-31-xxxx	Skin Corrosion 1B (H314)	1-<3

Note L. The substance contains less than 3 % DMSO extract as measured by IP 346, and does not need to be classified as a carcinogen.

Note N. The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen.

The exact percentage and composition are being withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye: Immediately flush eyes with large amounts of water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.

Skin: Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before reuse. If irritation or rash develops, get medical attention.

Inhalation: If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get medical attention.

Ingestion: If conscious, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

4.2 Most Important symptoms and effects, both acute and delayed: Causes eye irritation. Causes skin irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3 Indication of any immediate medical attention and special treatment needed: As a general rule, and in all cases of doubt or when symptoms persist, always seek medical attention. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE AND EXPLOSION DATA

5.1 Extinguishing Media: Use foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

5.2 Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: This material will burn although it is not easily ignited.

Combustion Products: Combustion will produce carbon oxides and unidentified organic compounds.

5.3 Advice for Fire-Fighters:

Special Fire Fighting Procedures: Firefighters should wear full emergency equipment and an approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective equipment. Wash thoroughly after handling. See also: "Personal Protection" section 8.

6.2 Environmental Precautions:

Avoid release into the environment. Report spill as required by local and national regulations.

6.3 Methods and Material for Containment and Cleaning Up:

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13 "Disposal Considerations".

6.4 Reference to Other Sections: Refer to Section 8 for personal protective equipment and Section 13 for disposal information.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Wash thoroughly with soap and water after handling. Remove oil-soaked clothing and launder before re-use.

7.2 Conditions for Safe Storage, Including any Incompatibilities: Store in a cool area away from oxidizing agents. Protect containers from physical damage.

7.3 Specific end use(s): The product is to be used as a lubricating grease. Contact with the eyes and skin should be prevented due to the risk of irritation to eyes and skin. If inhalation of high concentrations of vapors and mists cannot be prevented appropriate personal protective equipment should be used.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters: Refer to country-specific legislation for specific requirements where not listed below.

Chemical Name	Exposure Limits
Petroleum distillates	None Established
Lithium hydroxide monohydrate	None Established

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate local exhaust ventilation to minimize exposure. Use explosion proof equipment where required.

Respiratory Protection: If the exposure is excessive or irritation is experienced, an approved particulate/organic vapor respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with local regulations and good industrial hygiene practice.

Skin Protection: Wear impervious gloves in accordance with EN 374 to avoid skin contact. Protective clothing if needed to avoid skin contact and contamination of personal clothing. Suitable washing should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

Eye Protection: Wear chemical goggles in accordance with EN 166 to prevent eye contact.

Other Protective Equipment: None should be needed under normal use conditions. In Europe follow EN 13034.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties

Appearance	Grease
Color	Blue
Odor	Petroleum odor
Odor Threshold	No data available
pH	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	>200°C
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Upper Explosion Limit	No data available
Lower Explosion Limit	No data available
Vapor Pressure	No data available
Vapor Density (Air=1)	>1
Relative Density	0.94 @ 15.6°C
Solubility	Soluble in hydrocarbons; insoluble in water
Partition Coefficient: n-octanol/water	No data available
Auto Ignition Temperature	No data available
Decomposition Temperature	No data available
Volatile Organic Compounds (VOC)	0%
Viscosity	>20.5 cSt @ 40°C

9.2 Other Information: None available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Not expected to be reactive

10.2 Chemical Stability: Stable

10.3 Possibility of Hazardous Reactions: None known.

10.4 Conditions to Avoid: Keep away from heat, sparks, flames and all other sources of ignition.

10.5 Incompatible Materials: Avoid contact with strong oxidizing agents.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

10.6 Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides and unidentified organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eye Contact: Causes eye irritation with redness, tearing and pain.

Skin Contact: Causes skin irritation with non-allergic dermatitis.

Inhalation: Excessive inhalation of vapors or mists may cause upper respiratory tract irritation.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.

Acute Toxicity Values:

Petroleum Distillates (CAS 64742-52-5): Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 NA, Dermal rabbit LD50 >5000 mg/kg

Skin corrosion/irritation: Product is classified as a skin irritant.

Eye damage/irritation: Product is classified as an eye irritant.

Respiratory Irritation: The product does not contain any components that are respiratory irritants.

Respiratory Sensitization: The product does not contain any components that are respiratory sensitisers.

Skin Sensitization: The product does not contain any components that are skin sensitisers.

Germ Cell Mutagenicity: The product does not contain any components that are germ cell mutagens.

Carcinogenicity: None of the components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or the EU CLP.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Specific Target Organ Toxicity:

Single Exposure: No data available

Repeat Exposure: No data available

Aspiration Hazard: This product does not meet the criteria of an aspiration hazard as the kinematic viscosity exceeds 20.5 cSt @ 40°C.



HIGH TEMP WATERPROOF GREASE

Released: 2017-06-20

Version: 1.1
Revision Date: 2017-12-21

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Petroleum Distillates (CAS 64742-52-5): 96 hr LC50 Oncorhynchus mykiss 5000 mg/L, 48 hr EC50 crustacea 1000 mg/L, 96 hr ErC50 Scenedesmus subspicatus 1000 mg/L

12.2 Persistence and Degradability

Petroleum Distillates are not readily biodegradable.

12.3 Bioaccumulative Potential

Petroleum Distillates have a log Kow of > 6 which suggests a potential for bioaccumulation.

12.4 Mobility in Soil

The product is not water soluble (floats on water) and may be adsorbed to soil particles.

12.5 Results of PBT and vPvB Assessment: Components do not meet the criteria of PBT or vPvB.

12.6 Other Adverse Effects: None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Dispose in accordance with all local and national regulations.

SECTION 14: TRANSPORTATION INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
EU ADR/RID	None	Not Regulated	None	None	
IMDG	None	Not Regulated	None	None	
IATA/ICAO	None	Not Regulated	None	None	

14.6 Special Precautions for User: Not applicable

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable – product is transported only in packaged form



HIGH TEMP WATERPROOF GREASE

Version: 1.1

Released: 2017-06-20

Revision Date: 2017-12-21

SECTION 15: REGULATORY INFORMATION

15.1 Safety, Health and Environment Regulations/Legislation Specific for the Substance or Mixture:

This SDS conforms to Regulation (EU) No. 1907/2006 and 2015/830.
Label in accordance with Regulation (EC) No. 1272/2008 (CLP).

SECTION 16: OTHER INFORMATION

Supersedes: Version 1.0
Date Updated: December 21, 2017
Revision Summary:
6/20/17: New document
12/21/17: Updated emergency telephone #

CLP Classification for Reference (See Sections 2 and 3):

Asp. Tox. 1 Aspiration Toxicity Category 1
Skin Corr. 1B Skin Corrosion Category 1B
H304 May be fatal if swallowed and enters airways
H314 Causes severe skin burns and eye damage
NC Not Classified

=====
The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.